



Get for Go ? Site search



EBI Home About EBI Research Services Toolbox **Databases** Downloads

DATABASE BROWSING

EBI Dbfetch

```

ID  CHCLOSI      standard; genomic DNA; PRO; 2768 BP.
XX
AC  X63673;
XX
SV  X63673.1
XX
DT  21-FEB-1992 (Rel. 31, Created)
DT  19-JUL-1993 (Rel. 36, Last updated, Version 12)
XX
DE  C.histolyticum closI gene for alpha-clostripain
XX
KW  closI gene; Clostripain.
XX
OS  Clostridium histolyticum
OC  Bacteria; Firmicutes; Clostridia; Clostridiales; Clostridiaceae;
OC  Clostridium.
XX
RN  [1]
RP  1-2368
RA  Diefenthal T.;
RT  ;
RL  Submitted (28-JAN-1992) to the EMBL/GenBank/DDBJ databases.
RL  T. Diefenthal, Weissheimer Research, Dept. Biotechnology, Schaarstr.1,
RL  P.O.B. 20 65, W-5470 Andernach, FRG
XX
RN  [2]
RP  1-2368
RX  DOI; 10.1007/BF00276893
RX  MEDLINE; 93341452.
RX  PUBMED; 8341259.
RA  Dargatz H., Diefenthal T., Witte V., Reipen G., von Wettstein D.;
RT  "The heterodimeric protease clostripain from Clostridium histolyticum is
RT  encoded by a single gene";
RL  Mol. Gen. Genet. 240(1):140-145(1993).
XX
FH  Key          Location/Qualifiers
FH
FT  source        1..2768
FT                /db_xref="taxon:1498"
FT                /mol_type="genomic DNA"
FT                /organism="Clostridium histolyticum"
FT  -35 signal    376..381
FT  -10 signal    397..402
FT  repeat region 420..438
FT                /note="palindrom-structure"
FT                /rpt_type=INVERTED
FT  RBS           605..609
FT  CDS           618..2198
FT                /db_xref="GOA:P09870"
FT                /db_xref="UniProt/Swiss-Prot:P09870"
FT                /transl_table=11
FT                /gene="ClosI"
FT                /EC_number="3.4.22.8"

```

```

FT      /product="clostripain"
FT      /protein_id="CAA45212.1"
FT      /translation="MLRRKVSTLLMTALITTSFLNSKPVYANPVTKSKDNNLKEVQQVT
FT      SKSNKNKNQKVTIMYYCDADNNLEGSLLNDIEEMKTYGKDSPNLNLIALVDRSPRYSSD
FT      EKVLGEDFSDTRLYKIEHNKANRLDGKNEFFEISTTSKYEANMGDPEVLKKFIDYCKSN
FT      YEADKYVLIMANHGGGAREKSNPRLNRAICWDDSNLDKNGEADCLYMGEISDHLTEKQS
FT      VDLAFAACIMGTAEVAYQYRPGNGGFSADTLVASSPVVWGPFGKYDKIFDRIKAGGGT
FT      NNEDDLTLGKGQNFDPATITNEQLGALFVEEQRDSTHANGRYDQHLSEFYDLKKAESVK
FT      RAIDNLAVNLSNENKKSEIEKLRGSGIHTDLMHYFDEYSEGEWVEYPYFDVYDLCEKIN
FT      KSENFSSKTKDLASNAMNKLNEMIVYSFGDPSNNFKEGKNGLSIFLPGDKKYSTYYTS
FT      TKIPHWTMQSWYNSIDTVKYGLNPYGKLSWCKDGDQDPEINKVGNWFELLDSEWFDKTNDV
FT      TGGVNHYQW"
XX
SQ      Sequence 2768 BP; 1084 A; 359 C; 427 G; 898 T; 0 other;
gctataatca atgccatata tataaagatt aaagtaatct tttgtatcat ctaataatgg      60
agtatcagct ttattaatta attgcttttt taaaaaatta tttgtaagtt agtatactct      120
tctactaaat agttaaatcc agcttttcat ttttccatca ctaccataat tacgtaatca      180
ttatatcata gaatgctttt accacgtaat ataaaaagca agagtcctat attaaatcct      240
tgaacctaaa gacctaatgt agatttttaa caaaacaaat gattgatcac ttaatatatc      300
taacagttca gataacttcc tttttgagat tgtaatatat aagtaaattc aaagaccata      360
aaatataccc cccgattgta atgcttgaat attaattata atgaaattat agtttaatt      420
aaaaaaataa tttttttatg aagtttaaga aggattatcc taaacattat agaatatatt      480
aaatataaaa ataattgtaa actttaaata ataactctta taatggtaaca taatgtattt      540
atatggatta aattttaatt tatagatgct ataaaactat aaattaaatt taaaatatac      600
ttttggaggt atgtattatg ttaagaagaa aagtatcaac actattaatg acagctttga      660
taactacttc atttttaaat tccaaacccg tatatgcaaa tccagtaact aaatccaagg      720
ataataactt aaaagaagta caacaagtta caagcaagag taataaaaaac aaaaatcaaa      780
aagtaactat tatgtactat tgcgacgcag acaataactt ggaaggaagt ctattaaatg      840
atatcgagga aatgaaaaa ggaatataagg atagtcctaa tttaaattta attgctcttg      900
tagacagatc cccaagatat agcagtgcag aaaaagtttt aggtgaagat tttagtata      960
cacgtcttta taagattgaa cacaataagg caaatagatt agacggtaaa aatgaatttc      1020
cagaaataag tactactagt aaatatgaag ctaacatggg ggaatcctgaa gttcttaaaa      1080
aattttattg ttattgtaaa tctaattatg aggtcgataa atatgtgctt ataattggcta      1140
atcatgggtg tgggtgcaagg gaaaaatcaa atccaagatt aaatagagca atttgctggg      1200
atgatagtaa ccttgataaa aatggtgaag cagactgcct ttatatgggt gaaatttcag      1260
atcatttaac agaaaaaaca tcagttgatt tacttgccct tgatgcatgc cttatgggaa      1320
ctgcagaagt agcgtatcag tatagaccag gtaatggagg attttctgcc gatactttag      1380
ttgcttcaag cccagtagtt tggggctctg gattcaaata tgataagatt ttcgatagga      1440
taaaagctgg tggaggaaact aataatgagg atgatttaac tttagggtgt aaagaacaaa      1500
actttgatcc tgcaaccatt accaatgagc aattaggtgc attatttgta gaagagcaaa      1560
gagactcaac acatgccaat ggtcgctatg atcaacactt aagcttttat gatttaaga      1620
aagctgaatc agtaaaaaa gccatagata atttagctgt taatctaagt aatgaaaaca      1680
aaaaatctga aattgaaaaa ttaagaggaa gtggaattca tacagattta atgcattact      1740
tcgatgaata ttctgaagga gaatgggttg aatatcctta ttttgacgtg tatgatttat      1800
gtgaaaaaat aaataaaaag gaaaaattta gtagtaaaac taaagattta gcttcaaagt      1860
ctatgaataa attaaatgaa atgatagttt attccttttg agaccctagt aataatttta      1920
aagaaggaaa aaatggattg agtatattct tacctaattg agataaaaaa tattcaactt      1980
attatacatc aaccaagata cctcattgga ctatgcaaag ttggtataat tcaatagata      2040
cagttaaata tggattgaat ccttacggaa aattaagttg gtgtaaagat ggacaagatc      2100
ctgaaataaa taaagtggga aattggtttg aacttctaga ttcttggttt gataaaacta      2160
atgatgtaac tggaggagtt aatcattacc aatggtaaaa ctcaatatta ctataattga      2220
attgtaattt ataaaaattt tattcaacta aaaacttctg cctcaatcta gaaaattgcc      2280
tttctaaatt gaggcaatat tttaataatt cattccttta tttcaactat tcttcttatg      2340
aaactgcttt ttgtctagat aaacaataga tgctccaaca attagtattc ctctataat      2400
agaatataca gataaagctt ctccaaataa aataaatccc caagcggatt aaacaatatt      2460
cctatatatt acaacttcta caattactgc attagcattt ccgaaagcac ctgtaagaa      2520
tatttggtgt aataaggaaa cggcacctaa caagattaac aggattaatt ctttgctgt      2580
tggattacca aagttatttc tcatcaatac tccagcaact atagtagatg cagctaagaa      2640
ataaaacact atttcgtaat gatgatgttt cttagacttt gctaattttc ttatggtaat      2700
tgaagcactt gccgataaaa ctgcacttaa catccaaaga tggcatagaa agaataagta      2760
gagtatct
2768

```

//

[ExPASy Home page](#)[Site Map](#)[Search ExPASy](#)[Contact us](#)[Swiss-Prot](#)Search for

NiceProt

View of

Swiss-

Prot:

P09870

[Printer-friendly view](#)[Submit update](#)[Quick BlastP search](#)[\[Entry info\]](#) [\[Name and origin\]](#) [\[References\]](#) [\[Comments\]](#) [\[Cross-references\]](#) [\[Keywords\]](#)
[\[Features\]](#) [\[Sequence\]](#) [\[Tools\]](#)

Note: most headings are clickable, even if they don't appear as links. They link to the user manual or other documents.

Entry information

Entry name	CLOS_CLOHI
Primary accession number	P09870
Secondary accession number	P09869
Entered in Swiss-Prot in	Release 10, March 1989
Sequence was last modified in	Release 26, July 1993
Annotations were last modified in	Release 45, October 2004

Name and origin of the protein

Protein name	Alpha-clostripain [Precursor]
Synonyms	EC 3.4.22.8 Clostridiopeptidase B
Gene name	Name: cloSI
From	Clostridium histolyticum [TaxID: 1498]
Taxonomy	Bacteria; Firmicutes; Clostridia; Clostridiales; Clostridiaceae; Clostridium.

References

[1] NUCLEOTIDE SEQUENCE.

MEDLINE=93341452;PubMed=8341259 [NCBI, ExPASy, EBI, Israel, Japan]
Dargatz H., Diefenthal T., Witte V., Reipen G., von Wettstein D.;
"The heterodimeric protease clostripain from Clostridium histolyticum is encoded by a single gene.";
Mol. Gen. Genet. 240:140-145(1993).

[2] PROTEIN SEQUENCE OF 51-181.

MEDLINE=85076641;PubMed=6391922 [NCBI, ExPASy, EBI, Israel, Japan]
Gilles A.M., Lecroisey A., Keil B.;
"Primary structure of alpha-clostripain light chain.";
Eur. J. Biochem. 145:469-476(1984).

[3] PRELIMINARY PROTEIN SEQUENCE OF 51-73 AND 191-232.

MEDLINE=83131688;PubMed=6337850 [NCBI, ExPASy, EBI, Israel, Japan]
Gilles A.M., de Wolf A., Keil B.;

"Amino-acid sequences of the active-site sulfhydryl peptide and other thiol peptides from the cysteine proteinase alpha-clostripain."; Eur. J. Biochem. 130:473-479(1983).

Comments

- **FUNCTION:** Cysteine endopeptidase with strict specificity.
- **CATALYTIC ACTIVITY:** Preferential cleavage: Arg-|-Xaa, including Arg-|-Pro bond, but not Lys-|-Xaa.
- **SUBUNIT:** Heterodimer of a light chain and an heavy chain held together by strong noncovalent forces rather than by intramolecular disulfide bridges.
- **SIMILARITY:** Belongs to the peptidase C11 family [view classification].
- **DATABASE:** NAME=Worthington enzyme manual; WWW="http://www.worthington-biochem.com/CP/".

Copyright

This Swiss-Prot entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use as long as its content is in no way modified and this statement is not removed.


Cross-references

EMBL	X63673; CAA45212.1; -. [EMBL / GenBank / DDBJ] [CoDingSequence]
	A29174; A29174.
PIR	A29175; A29175.
	B29175; B29175.
	S35190; S35190.
MEROPS	C11.001; -.
InterPro	IPR005077; Peptidase_C11.
	Graphical view of domain structure.
Pfam	PF03415; Peptidase_C11; 1.
	Pfam graphical view of domain structure.
ProDom	[Domain structure / List of seq. sharing at least 1 domain]
HOBACGEN	[Family / Alignment / Tree]
BLOCKS	P09870.
ProtoNet	P09870.
ProtoMap	P09870.
PRESAGE	P09870.
DIP	P09870.
ModBase	P09870.
SMR	P09870; E151372FF6C95BE7.
SWISS-2DPAGE	Get region on 2D PAGE.
UniRef	View cluster of proteins with at least 50% / 90% identity.


Keywords

Direct protein sequencing; Hydrolase; Signal; Thiol protease; Zymogen.

Features



Feature table viewer



Feature aligner

Key	From	To	Length	Description
SIGNAL	1	27	27	Potential.

PROPEP	28	50	23	Potential.
CHAIN	51	181	131	Alpha-clostripain light chain.
PEPTIDE	182	190	9	Linker.
CHAIN	191	526	336	Alpha-clostripain heavy chain.
ACT_SITE	231	231		
CONFLICT	127	127		R -> NQL (in Ref. 2).
CONFLICT	176	179		HGGG -> GDGH (in Ref. 2).
CONFLICT	197	197		S -> H (in Ref. 3).
CONFLICT	213	213		I -> L (in Ref. 3).
CONFLICT	216	216		H -> T (in Ref. 3).
CONFLICT	232	232		L -> M (in Ref. 3).

Sequence informationLength: **526 AA** [This is the length of the unprocessed precursor]Molecular weight: **59733 Da** [This is the MW of the unprocessed precursor]CRC64: **E151372FF6C95BE7** [This is a checksum on the sequence]

<u>10</u>	<u>20</u>	<u>30</u>	<u>40</u>	<u>50</u>	<u>60</u>
MLRRKVSTLL	MTALITTSFL	NSKPVYANPV	TKSKDNNLKE	VQQVTSKSNK	NKNQKVTIMY
<u>70</u>	<u>80</u>	<u>90</u>	<u>100</u>	<u>110</u>	<u>120</u>
YCDADNNLEG	SLLN DIEEMK	TGYK DSPNLN	LIALVDRSPR	YSSDEKVLGE	DFSDTRLYKI
<u>130</u>	<u>140</u>	<u>150</u>	<u>160</u>	<u>170</u>	<u>180</u>
EHNKANRLDG	KNEFPEISTT	SKYEANMGDP	EVLKKFIDYC	KSNYEADKYV	LIMANHGGGA
<u>190</u>	<u>200</u>	<u>210</u>	<u>220</u>	<u>230</u>	<u>240</u>
REKSNPRLNR	AICWDDSNLD	KNGEADCLYM	GEISDHLTEK	QSVDLLAFDA	CLMGTAEVAY
<u>250</u>	<u>260</u>	<u>270</u>	<u>280</u>	<u>290</u>	<u>300</u>
QYRPGNGGFS	ADTLVASSPV	VWGP GFKYDK	IFDRIKAGGG	TNNEDDLTLG	GKEQNFDPAT
<u>310</u>	<u>320</u>	<u>330</u>	<u>340</u>	<u>350</u>	<u>360</u>
ITNEQLGALF	VEEQRDSTHA	NGRYDQHLSF	YDLKKAESVK	RAIDNLAVNL	SNENKKSEIE
<u>370</u>	<u>380</u>	<u>390</u>	<u>400</u>	<u>410</u>	<u>420</u>
KLRGSGIHTD	LMHYFDEYSE	GEWVEYPYFD	VYDLCEKINK	SENFSSKTKD	LASNAMNKLN
<u>430</u>	<u>440</u>	<u>450</u>	<u>460</u>	<u>470</u>	<u>480</u>
EMIVYSFGDP	SNNFKEGKNG	LSIFLPNGDK	KYSTYYTSTK	IPHWTMQSWY	NSIDTVKYGL
<u>490</u>	<u>500</u>	<u>510</u>	<u>520</u>		
NPYGKLSWCK	DGQDPEINKV	GNWFELLD SW	FDKTNDVTGG	VNHYQW	

P09870 in FASTA format

[View entry in original Swiss-Prot format](#)[View entry in raw text format \(no links\)](#)[Report form for errors/updates in this Swiss-Prot entry](#)


BLAST BLAST submission on
ExPASy/SIB
or at NCBI (USA)



Sequence analysis tools: ProtParam, ProtScale,
Compute pI/Mw, PeptideMass, PeptideCutter,
Dotlet (Java)

[ScanProsite, MotifScan](#)[Search the SWISS-MODEL Repository](#)



 ExPASy Home page		Site Map		Search ExPASy		Contact us		Swiss-Prot	
Hosted by NCSC US	Mirror sites:	Australia	Bolivia	Brazil new	Canada	China	Korea	Switzerland	Taiwan

*File 399: Use is subject to the terms of your user/customer agreement.
Alert feature enhanced for multiple files, etc. See HELP ALERT.

File 434:SciSearch(R) Cited Ref Sci 1974-1989/Dec
(c) 1998 Inst for Sci Info

*File 434: Price change effective Jan 1, 2005. Enter HELP
RATES 434 for details.

File 444:New England Journal of Med. 1985-2005/Feb W1
(c) 2005 Mass. Med. Soc.

File 467:ExtraMED(tm) 2000/Dec
(c) 2001 Informania Ltd.

*File 467: F467 no longer updates; see Help News467.

7.

Set Items Description

--- -----

Cost is in DialUnits

?ds

Set	Items	Description
S1	16	AU=DARGATZ ? AND PY=1993
S2	4	S1 AND HISTOLYTICUM?
?t s2/9/1		

2/9/1 (Item 1 from file: 155)
DIALOG(R) File 155:MEDLINE(R)
(c) format only 2005 The Dialog Corp. All rts. reserv.

09780560 PMID: 8341259

The heterodimeric protease clostripain from Clostridium histolyticum is encoded by a single gene.

Dargatz H ; Diefenthal T; Witte V; Reipen G; von Wettstein D

Weissheimer Research Laboratory, Andernach, Germany.

Molecular & general genetics - MGG (GERMANY) Jul 1993 , 240 (1)
p140-5, ISSN 0026-8925 Journal Code: 0125036

Document type: Journal Article

Languages: ENGLISH

Main Citation Owner: NLM

Record type: Completed

Subfile: INDEX MEDICUS

Clostripain (EC 3.4.22.8) is a heterodimeric cysteine endopeptidase with strict specificity for Arg-Xaa peptidyl bonds. It is secreted by Clostridium histolyticum strains. For the first time we present evidence that both polypeptide chains of native clostripain are encoded by a single gene. DNA sequencing of two overlapping genomic DNA fragments revealed a single open reading frame (ORF) of 1581 nucleotides encoding a polypeptide of 526 amino acid residues. The ORF is preceded by canonical transcription signals and both chains of the clostripain heterodimer are completely represented by the deduced coding sequence. Most interestingly, the sequences coding for the light and the heavy chain are joined by a DNA stretch coding for a linker nonapeptide that is preceded by the C-terminal arginyl residue of the light chain and also ends with an arginyl residue. Heterologous expression of the gene in Escherichia coli yielded an enzyme capable of hydrolyzing the clostripain substrates N alpha-benzoyl-L-arginine ethyl ester (BAEE) and N-carbobenzoxy-L-arginine p-nitroanilide (Z-Arg-pNA).

Tags: Support, Non-U.S. Gov't

Descriptors: *Clostridium--enzymology--EN; *Cysteine Endopeptidases
--genetics--GE; *DNA, Bacterial--genetics--GE; *Genes, Bacterial--genetics
--GE; Amino Acid Sequence; Base Sequence; Clostridium--genetics--GE;
Cysteine Endopeptidases--isolation and purification--IP; Escherichia coli;
Gene Expression--genetics--GE; Molecular Sequence Data; Protein Sorting
Signals--genetics--GE; Transcription, Genetic--genetics--GE

Molecular Sequence Database No.: GENBANK/X63673

CAS Registry No.: 0 (DNA, Bacterial); 0 (Protein Sorting Signals)

Enzyme No.: EC 3.4.22 (Cysteine Endopeptidases); EC 3.4.22.8
(clostripain)

Record Date Created: 19930902

Record Date Completed: 19930902